

FITTING INSTRUCTIONS FOR


Rear Door Cage

SKU

COMPATIBILITY

KS0175/513

Toyota Prado 120, Lexus GX 470




Included contents			
QTY	COMPONENT	Q Τ Υ	COMPONENT
1	Rear Door Cage	7	M5 DIN Washers
1	Spacer	7	M5 Nyloc Nuts
7	M5x16 Dome Head Cap Screws		
		ি হা	30 minutes / Half a beer

Scan the **QR code** to watch the video installation guide, or for further information contact KAON on **07 3180 1470** or **info@kaon.com.au**



It all works together.

All our rear door products work together, but there is a certain order to installing. Installing multiple products? Here's the the best way for your configuration.



Let's get to work.

Preparation

- Remove the rear door plastic trim / panel by removing two screws located in the top grab handle. One is inside the front handle, and you'll need to pry off the covers to reveal one last screw where the strap is located.
- 2. Carefully pull the plastic trim off the door.
- 3. Remove the net by removing the seven screws from the back panel, before unclipping the net.







Installation

- Place the supplied metal spacer on the bottom edge between the cage and the plastic panel.
- Position and attach the cage using the supplied M5x16 dome head screws.
- Turn the back panel over and secure the rear cage using the supplied M5 nyloc nuts and washers.
- Ensure all the clips/lugs are in place prior to refitting the panel.
- Clip the top part of the plastic door trim panel first, before securing the rest of the clips. If desired, the straps can be cut off.
- 9. That's it, you're done!









This page is intentionally left blank.



Local Knowledge & Assistance

We know half the fun of building your dream 4x4 is getting your hands dirty. But we also know that sometimes, things don't go to plan. If in the pursuit to build the ultimate setup you find yourself off-track, we're here to help you get unstuck.

For further information call 07 3180 1470 or email info@kaon.com.au

Disclaimer: The products sold by KAON should not be modified, and are for use only on the vehicles specifically stated. KAON will not be liable for any damages arising out of the use or misuse of it's products. It is the customers responsibility to ensure the products are safely and properly used and installed. KAON consistently seeks to improve it's products and reserves the right to make changes to any product.