

FITTING INSTRUCTIONS FOR


Rear Seat Delete Mounting Points

SKU

COMPATIBILITY

KS0376

Toyota LandCruiser LC200



Included contents						
QTY	COMPONENT	QTY	COMPONENT			
1	Rear Seat Delete Mounting Point (LHS)	2	M10 x 30 x 2.5 DIN Flat Washer			
1	Rear Seat Delete Mounting Point (RHS)	2	M10 x 1.25 x 30 Hex Bolt G8.8			



15 minutes / Few swigs of beer

Bolt Torque								
DIAMETER (mm)	5mm	6mm	8mm	10mm	12mm			
NEWTON-METRES (Nm)	5 Nm	9 Nm	22 Nm	44 Nm	77 Nm			

Let's get to work.

Installation

- With the third row rear seats removed, place the cover over the mounting point.
- Secure in place with the bolts. We supply new bolts in your kit, but the original bolts are a darker color and you might find they blend in better. There is a bit of adjustment in the mounting position. As you tighten the mount in place, ensure the gaps remain even.
- Thats it! All you have to do is add a strap and use your new mounts to secure anything you like in the back of your vehicle.







Local Knowledge & Assistance

We know half the fun of building your dream 4x4 is getting your hands dirty. But we also know that sometimes, things don't go to plan. If in the pursuit to build the ultimate setup you find yourself off-track, we're here to help you get unstuck.

For further information call 07 3180 1470 or email info@kaon.com.au

Disclaimer: The products sold by KAON should not be modified, and are for use only on the vehicles specifically stated. KAON will not be liable for any damages arising out of the use or misuse of it's products. It is the customers responsibility to ensure the products are safely and properly used and installed. KAON consistently seeks to improve it's products and reserves the right to make changes to any product.