



FITTING INSTRUCTIONS FOR


Standalone Rear Roof Shelf

SKU

KS0355/356/395

COMPATIBILITY

Mitsubishi Pajero Gen 4 (NS-NX)



Included contents

QTY	COMPONENT	QTY	COMPONENT
1	Rear Roof Shelf	4	M5 x 12 Flanged Hex Bolts
1	Rear Fence	4	M5 Flanged Nuts
2	Handle Brackets	4	M6 x 16 Flanged Bolts
		4	M6 Flanged Nuts



Time


30 minutes / Half a beer


Scan the **QR code** to watch the video installation guide,
or for further information contact KAON on **07 3180 1470** or info@kaon.com.au



It all works together.

All our storage products work together, but there is a certain order to installing. Let's work out the best order for your setup, shall we?





Are you installing a
Light Cargo Barrier?

NO

YES

The last piece of the
puzzle, complete your
install by following the
Light Cargo Barrier
fitting guide.

Are you installing other
KAON Storage Products?

YES

YES

NO

That's it, you're done!

With the foundation in
place, it's time to mount
any other accessories,
such as a Cargo Divider,
Travel Buddy, etc. Have
fun making it your own.

With your setup order sorted, let's get to the good part: installing. →

Let's get to work.

Preparation

1. Remove the rear row grab handles by prying off the plastic cover and removing the bolts with a 8mm socket.



Bracket Installation

2. Place the handle brackets under the handles and reattach the handle brackets using M6 flanged bolts.


This handle bracket also has nutserts for mounting the Light Cargo Barrier, should you choose to do so.

If you're installing with Side Molle Panels: follow the instructions in the Side Molle Panel instructions, then proceed to step 3.



Assembly

3. Attach the rear fence to the shelf using M5 nuts and bolts.



Shelf Installation

4. Position the shelf and attach to the handle brackets using M6 flanged bolts and nuts.
5. Once the shelf is in the desired position, tighten all bolts securely.
6. That's it! Your new shelf is able to hold a recommended maximum load of 10kg. It also has some handy hooks to hang bags, and twin bottle openers on each side.



G8.8 Bolt Torque (Non-Lubricated)

DIAMETER (mm)	5mm	6mm	8mm	10mm	12mm
NEWTON-METRES (Nm)	6 Nm	10 Nm	15 Nm	22 Nm	35 Nm



Local Knowledge & Assistance

We know half the fun of building your dream 4x4 is getting your hands dirty. But we also know that sometimes, things don't go to plan. If in the pursuit to build the ultimate setup you find yourself off-track, we're here to help you get unstuck.

For further information call 07 3180 1470 or email info@kaon.com.au

Disclaimer: The products sold by KAON should not be modified, and are for use only on the vehicles specifically stated. KAON will not be liable for any damages arising out of the use or misuse of its products. It is the customers responsibility to ensure the products are safely and properly used and installed. KAON consistently seeks to improve its products and reserves the right to make changes to any product.