



FITTING INSTRUCTIONS FOR


Trailer Plug Relocator

SKU

KS1020

COMPATIBILITY

Toyota Prado 250



Included contents

QTY	COMPONENT	QTY	COMPONENT
1	Trailer Plug Relocator Bracket	2	M4 x 20 Socket Head Cap Screw
1	M8 x 110 Hex Bolt	2	M4 x 35 Socket Head Cap Screw
2	M8 x 17 x 1.2 Washer	2	M4 Nyloc Nut
1	M8 Flanged Nut		



Time

15 minutes / Few sips of beer

For further information contact KAON on **07 3180 1470** or info@kaon.com.au

Bolt Torque

DIAMETER (mm)	5mm	6mm	8mm	10mm	12mm
NEWTON-METRES (Nm)	5 Nm	9 Nm	22 Nm	44 Nm	77 Nm

Let's get to work.

Preparation

1. Unbolt the trailer plug from the factory bracket, and set aside the hardware. Remove the clips holding it in place at the back.
2. Next, unbolt the trailer plug bracket from the inner wall behind the spare tyre, as pictured.
3. Route the trailer plug through the rear bumper trim.



Installation

4. Now is the time to consider what accessories you might want to mount to the supplied bracket. We've supplied M4 hardware to make this easier. If you are fitting air lines, remove the rubber fill plugs from the bracket.
5. If you have a tow ball installed, remove it to allow easier access. Place the Trailer Plug Relocator bracket in place under the tow hitch.
6. Loosely bolt the Trailer Plug Relocator bracket to the tow bar using the supplied M8 hardware.
7. Attach the OEM trailer plug to the underside of the Trailer Plug Relocator using the factory hardware set aside in step 1.
8. Tighten all hardware until secure, and reinstate the tow ball if removed earlier.
9. That's it - you're done!





Local Knowledge & Assistance

We know half the fun of building your dream 4x4 is getting your hands dirty. But we also know that sometimes, things don't go to plan. If in the pursuit to build the ultimate setup you find yourself off-track, we're here to help you get unstuck.

For further information call 07 3180 1470 or email info@kaon.com.au

Disclaimer: The products sold by KAON should not be modified, and are for use only on the vehicles specifically stated. KAON will not be liable for any damages arising out of the use or misuse of its products. It is the customers responsibility to ensure the products are safely and properly used and installed. KAON consistently seeks to improve its products and reserves the right to make changes to any product.